


arca®

LABELING & MARKING

SERIES

LINERPLUS
LINERPLUS 4.0



<i>Print apply</i>	<i>Max label reel diameter</i> Diamètre maximum du rouleau d'étiquettes	<i>Printing module available</i> Formulaires d'impression disponibles	<i>Max* indicative printing speed up to</i> Vitesse d'impression maximale* indicative jusqu'à	<i>Printing resolution*</i> Résolution d'impression *
LINERPLUS LINERPLUS 4.0 101,6 - 152,4mm - 4 - 6"	360mm 14.17"	SATO ZEBRA	356 mm/sec* - 14"/sec* 305 mm/sec* - 12"/sec*	8-12-24 dots/mm (203-305-609dpi)

**depending on the specific TT printing module model installed and its width*

**dépend du module d'impression spécifique installé et de sa largeur*

www.arcalabelingmarking.com



LABELING & MARKING



The most performing, versatile and complete Arca model

Extremely robust, created for 24/7 operation and for the most severe industrial cycles. It guarantees unique autonomy (thanks to the 360mm roll) and adequate performance for any production line, in terms of frequency and precision. Simple and intuitive control through Man Machine instinctive Interface and all the most advanced features. Version 4.0 guarantees maximum connectivity to the line and the information system, latest generation web services and remote monitoring, via the A.R.C.A. App and software overview

C'est le modèle Arca le plus performant, polyvalent et complet

Extrêmement robuste, il a été créé pour un fonctionnement 24h/24 et 7j/7 et pour les cycles industriels les plus sévères. Il garantit une autonomie unique (grâce au rouleau de 360 mm) et des performances adaptées à toute ligne de production, en termes de fréquence et de précision. Contrôle simple et intuitif à l'aide de l'interface instinctive Man Machine et de toutes les fonctionnalités les plus avancées. La version 4.0 garantit une connectivité maximale à la ligne et au système d'information, des services web et une supervision de dernière génération à distance, via App A.R.C.A. et aperçu du logiciel



LINERPLUS LINERPLUS 4.0 FACTS



LABELING & MARKING


1:1 	VARIABLE DIAMETER 	360 	PRE ALARM * 	RANGE MONITORING 			
ON LINE 	OFF LINE 	JOG 	ADVANCED LABELING PROGRAMS 90 	CHANGE ON THE FLY 	ELECTRONIC ABSOLUTE TARGET 	COUNTER 	MMiI
MAINTENANCE MENU 	AUTOMATIC STOP 	MISSING LABEL RECOVERY 	PRINT MODULE CONTROL 	FREQUENCY CHECK 	SAFE DETECTION 		
CAN-Bus 	BRUSHLESS REWINDER 						

* Optional



TIME RANGE MONITORING 	EMBEDDED NON STOP 	TANDEM 					
VIDEO TRAINING 	SECUMODE 	ALARM LOG 	STATISTICS 	SCAN MANAGER 	COLLECTOR * 		
ETHERNET 	MODBUS TCP-IP 	REPLICA 	HTTP:// 	OVERVIEW 	APP 		

* Optional



Made in **ITALY**

06/2024